

Date:		Order No.:		Job Name:	
Company Name:					
Order Contact Name:		Order Contact Phone:			
Order Contact Email/Fax:					
Invoice Address:					
Delivery Address:					
Site Contact:		Site Contact Phone:			

## PANEL QUANTITIES Minimum Length: 1200mm\* - Maximum Length 9000mm

Quantity	@	Top Skin Length	Gutter Cutback (Front)	Gutter Cutback (Rear)	Lap* (Left or Right)	Cover Width
	@					762mm
	@					762mm
	@					762mm
	@					762mm
	@					762mm
	@					762mm
	@					762mm

+ Minimum ceiling length, plus any cutbacks - i.e. 1250mm top skin, with a 50mm cutback  
 \* Lap when viewed from front cutback edge (standard right lap applies if not specified)


## THICKNESS

	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Core Thickness:	50mm	75mm	100mm	125mm
Overall Thickness:	78mm	103mm	128mm	153mm


## ROOF COLOUR

Surfmist®	Classic Cream®	Paperbark®	Shale Grey®	Dune®	Windspray®	Woodland Grey®	Jasper®	Manor Red®	Pale Eucalypt®	Cove®	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Evening Haze®	Gully®	Mangrove®	Wallaby®	Basalt®	Terrain®	Zincalume®	*Deep Ocean®	*Cottage Green®	*Ironstone®	*Monument®	*Night Sky®
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	*Warranty not supplied				


## ROOF PROFILE



Mono span Steel Profile







Corrugated Steel Profile



Insulspan Corro/Corro



CLASS 4 ROOF SCREWS						OTHER	
Type 17's / Timber Fix			Metal Fix			Description	Qty.
Length	Finish	Qty.	Length	Finish	Qty.		
125mm	Galvanised		110mm	Galvanised		Stitching Screws 12 - 14 x 20 Neo Class 4 - Colour	
150mm	Galvanised		125mm	Galvanised			
175mm	Galvanised		150mm	Galvanised		Rivets Painted (100pk) 3.2mm dia. x 9.5mm grip	
200mm	Galvanised		175mm	Galvanised			
250mm	Galvanised		195mm	Galvanised		Wafer Head 10 - 16 x 16 Class 4 - Surfmist	
300mm	Galvanised		230mm	Galvanised			
<i>Painted screws available for special order - min. qty's apply</i>			250mm	Galvanised			

FLASHINGS					
Product	Colour	Qty.	Length (maximum 8m)	Qty.	Length (maximum 8m)
Z Flashing 					
Receiver Channel 					
Barge Capping 					
Roll Top Ridge Capping 					
Z End Cap					






GUTTERS & ACCESSORIES					
Type	Colour	Qty.	Length (maximum 8m)	Qty.	Length (maximum 8m)
Slotted Fascia Gutter					
Type	Colour	Qty.	Type	Colour	Qty.
Fascia Gutter Brackets	Galvanised		82° Offset 100 x 50		
Fascia Gutter Stop Ends (Pair)			Downpipe 2.4m 90mm Round		
Downpipe 2.4m 100 x 50			Downpipe Outlet 90mm Round	Galvanised	
Downpipe Outlet 100 x 50	Galvanised		Downpipe Straps 90mm Round		
Downpipe Straps 100 x 50			45° or 90° Offset 90mm Round		



## ALYSPAN

Product	Size	Length	Colour	Qty.
	100 x 50	3m		
	100 x 50	6m		
	150 x 50	6m		
	150 x 50	8m		
	65mm Aluminium Post	2.4m		
		6.5m		
	65mm Post Base	-		
	90mm Aluminium Post	2.4m		
		3m		
		6.5m		

## ACCESSORIES

Product	Size	Colour	Qty.
 Alyspan Beam End Caps	100		
	150		
 Alyspan Post/Beam Connectors	65		
	90		
 Alyspan Frame Bracket	100		
	150		
 Alyspan Suspension Bracket	100		
	150		
 Alyspan Beam Joiner	100		
	150		

\*All Colorbond colours available on request. Minimum quantities apply.

